EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	252	loader with plug	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 11:37
L2	13	class adj loader with plug	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 11:37
L3	12	("5815661" | "5893118" | "5966542" | "6112025" | "6154742" | "6292827" | "6330006" | "6381737" | "6493870").PN. OR ("6748396").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/01 12:07
S1	4	"6701508".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 13:54
S2	0	each with workspace with applicaiton with (seperate distinct own)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 13:55
S3	0	workspace with applicaiton with (seperate distinct own)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON.	2006/10/12 13:56
S4	0	workspace with applicaiton	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 13:55
S5	796	applicaiton	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 13:55
S6	9408	workspace	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 13:55

EAST Search History

S7	0	workspace same applicaiton	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 13:56
S8	1634	workspace same process	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 13:56
S9	26	workspace with process with (seperate distinct own)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 13:56
S10	10	("20010021985" | "5220512" | "5544067" | "5619430" | "5887189" | "6057705" | "6321369" | "6535061" | "6542844" | "6563391").PN. OR ("6701508"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/13 08:28
S11	10	S10 and application	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/13 08:28
S12	1	S10 and application and propert$4	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/13 08:28
S13	3734	microcontroller with design$4	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/13 08:49
S14	47492	propert$4 with displa$4	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/13 08:50
S15	4057	S14 with application	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/13 08:50
S16	2	S13 and S15	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/13 08:50
S17	14	("6587995" "20030041235" "20030154466" "20030229482" "6701508" "6785881").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 11:27
S18	1	S17 and close	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 09:00

S19	2	S17 and close$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 09:00
S20	3	(property adj window) with open with (select$4 near2 (object node))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 11:29
S21	57	(property adj window) same (select$4 near2 (object node))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 11:34
S22	385	717/109.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 11:30
S23	1416	717/106-109.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 11:30
S24	7	S21 and S22	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 11:34
S25	7	S21 and S23	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 11:34
S26	0	(property adj window) same (select$4 near2 (object node)) same (accept ok apply close)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 11:34
S27	8	(property adj window) same (select$4 near2 (object node)) same (accept$4 ok appl$5 clos$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 11:41
S28	8	(property adj window) same (select$4 near2 (object node)) same (accept$4 ok appl$5 clos$5 done)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 11:42

EAST Search History

S29	14	(propert$4 near2 window) same (select$4 near2 (object node)) same (accept$4 ok appl$5 clos$5 done)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 11:51
S30	6	S29 not S28	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 11:42
S31	14462	(propert$4 near2 window) same2 (select$4 near2 (object node)) same (accept$4 ok appl$5 clos$5 done)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 11:45
S32	7932877	(propert$4 near2 window) same (select$4 near2 (object node)) same2 (accept$4 ok appl$5 clos$5 done)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 11:47
S33	105	(propert$4 near2 window) same (select$4 near2 (object node))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 11:46
S34	9	S33 and S23	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 11:46
S35	7932877	((propert$4 near2 window) same (select$4 near2 (object node))) same2 (accept$4 ok appl$5 clos$5 done)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 11:48
S36	7932877	S33 same2 (accept$4 ok appl$5 clos$5 done)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 11:48
S37	99	S33 and (accept$4 ok appl$5 clos$5 done)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 11:48
S38	19	((propert$4 setting) near2 window) same (select$4 near2 (object node)) same (accept$4 ok appl$5 clos$5 done)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 11:52

S39	5	S38 not S29	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 11:59
S40	9095	(accept apply ok) adj button	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 11:59
S41	207	S40 with propert$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 11:59
S42	6	S41 and S23	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 11:59
S43	11	(US-20030041235-$ or US-20030056174-$).did. or (US-6701508-$ or US-5220512-$ or US-6587995-$ or US-6785881-$ or US-6701513-$ or US-5872974-$ or US-6970844-$ or US-6738964-$ or US-5878425-$).did.	US-PGPUB; USPAT	OR	ON	2006/10/13 12:45

Google

Web   Images   Video   News   Maps   **more »**

boot system extension application classloader [Search] Advanced Search
Preferences

Web Results **1 - 10** of about **152,000** for <u>boot</u> <u>system</u> <u>extension</u> <u>application</u> classloader plugin pdf. (0.22 s€

[PDF] <u>Eclipse **Plugin**-Based **Applications** and J2EE Components Abstract 1 ...</u>
File Format: PDF/Adobe Acrobat - <u>View as HTML</u>
class loader loads the **system** classes (rt.jar); its child, the **extension class** ... plication
class loader as the parent of the **boot plugin class loader.** ...
www.choicemaker.com/content/publications/deliver.php3?filename=20031028_eclipse.**pdf** -
<u>Similar pages</u>

[PDF] <u>Microsoft PowerPoint - NonIDEApplicationsWithEclipsePlugins ...</u>
File Format: PDF/Adobe Acrobat - <u>View as HTML</u>
implemented with an own **classloader** per **plug-in** (classes are. referenced using name,
package and ... org.eclipse.core.**boot**. **application extension** point ...
www.old.netobjectdays.org/**pdf**/03/slides/tutorial/NonIDE.**pdf** - <u>Similar pages</u>

[PDF] <u>CHAPTER 20</u>
File Format: PDF/Adobe Acrobat - <u>View as HTML</u>
Extension points require Eclipse-specific processing and these libraries are, ... **boot**
classloader. All others must be imported in the consuming **plug-in's** ...
www.eclipse.org/orbit/documents/RCP_Chapter20.**pdf** - <u>Similar pages</u>

[PDF] <u>IBM WebSphere **Application** Server V6</u>
File Format: PDF/Adobe Acrobat
the JVM **Boot** strap libraries, JVM **extension** libraries and the JVM **System class loader**
in ... WebSphere **Application Class loader**. Responsible for loading ...
publib.boulder.ibm.com/.../was/6.0/Runtime/WASv6_**ClassLoader**_Details.**pdf**?
dmuid=20061227185605969428 - <u>Similar pages</u>

> [PDF] <u>IBM WebSphere Everyplace Deployment for Windows and Linux Version 6</u>
> File Format: PDF/Adobe Acrobat
> **applications** as a **plug-in**, a bundle, or both depending on your requirements. ...
> (PARENT), which results in the **Boot Class Loader** and then the **Extension** ...
> publib.boulder.ibm.com/.../wed/6.0/ClientPlatform/wedv6_client_services.**pdf**?
> dmuid=20061231125138549469 - <u>Similar pages</u>
> [<u>More results from publib.boulder.ibm.com</u>]

[PDF] <u>Untitled</u>
File Format: PDF/Adobe Acrobat - <u>View as HTML</u>
of **application** client for WAS 4.0 is. an **extension** of the standard applet ... The **boot**
classloader is the parent of. the Java **extensions classloader**, which ...
www-03.ibm.com/servers/eserver/iseries/
software/websphere/wsappserver/product/june02WEBSPHERE.**pdf** - <u>Similar pages</u>

[PDF] <u>Developing an OSGi-like Service Platform for .NET</u>
File Format: PDF/Adobe Acrobat
application is started, the **application's** main class is. loaded with a default **application**
class loader instance,. which ultimately delegates to the **boot** ...
ieeexplore.ieee.org/iel5/10599/33505/01593018.**pdf**?arnumber=1593018 - <u>Similar pages</u>

[PDF] <u>Painless **Plugins**</u>

File Format: PDF/Adobe Acrobat - <u>View as HTML</u>
Plugins can allow for the possibil-. ity of adding code modules to reconfigure a **system**

without. having to restart. **Extensions** to **applications** are often **...**
chatley.com/articles/pp.**pdf** - Similar pages

[PDF] Author Guidelines for 8
File Format: PDF/Adobe Acrobat - View as HTML
default **application class loader** instance, which ulti-. mately delegates to the **boot class loader**. It is possible. for **applications** to provide custom **...**
www-adele.imag.fr/Les.Publications/intConferences/CCNC2006Esc.**pdf** - Similar pages

Change History
Module **classloader** now supports getPackage() for rare situations in **...** Salisbury distribution now does post **boot system** integrity check of all modules **...**
www.1060research-server-1.co.uk/docs/3.0.0/book/administratorguide/doc_changes.html - 54k - Cached - Similar pages

Result Page: **1** 2 3 4 5 6 7 8 9 10   **Next**

Download Google Pack: free essential software for your PC

---

boot system extension application cl [Search]

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

---

Google Home - Advertising Programs - Business Solutions - About Google

©2007 Google